EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L8	2	"20030212994".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/11 14:21
S8	53046	Arazi.in. or chen.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/12/09 16:30
S9	188	(Arazi.in. or chen.in.) and ("725"/$.ccls. or "709"/$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/12/09 16:31
S10	92368	((addition$5 or supplementa$3 or subsidiary or ancillary or control or auxiliary or associate$1 or program) near2 (design or information or data or content))with (video or TV or CATV or television or image or content)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/12/11 17:37
S11	31	((Arazi.in. or chen.in.) and ("725"/$.ccls. or "709"/$.ccls.)) and (((addition$5 or supplementa$3 or subsidiary or ancillary or control or auxiliary or associate$1 or program) near2 (design or information or data or content))with (video or TV or CATV or television or image or content))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/12/09 16:41
S12	16	(((Arazi.in. or chen.in.) and ("725"/$. ccls. or "709"/$.ccls.)) and ((addition$5 or supplementa$3 or subsidiary or ancillary or control or auxiliary or associate$1 or program) near2 (design or information or data or content))with (video or TV or CATV or television or image or content))) and (@ad<="19991210" or @rlad<="19991210")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/12/09 17:39
S13	3	("4449249" | "5526035" | "5534944"). PN.	USPAT	OR	OFF	2002/12/09 16:51
S14	18	"5917830".URPN.	USPAT	OR	OFF	2002/12/09 16:53
S15	23	("4755993" | "5168353" | "5267334" | "5305113" | "5315584" | "5319707" | "5359601" | "5386213" | "5400401" | "5418782" | "5420640" | "5420866" | "5448568" | "5452006" | "5461619" | "5493339" | "5506904" | "5519780" | "5583562" | "5612742" | "5650825" | "5757416" | "5793410").PN.	USPAT	OR	OFF	2002/12/09 17:01
S16	4	"5793410".URPN.	USPAT	OR	OFF	2002/12/09 17:17
S17	4	"5793410".URPN.	USPAT	OR	OFF	2002/12/09 17:20

S18	26	("4760442" | "4995078" | "5029333" | "5206722" | "5247347" | "5287539" | "5303229" | "5341474" | "5349457" | "5371532" | "5387927" | "5394559" | "5396546" | "5404393" | "5408260" | "5410343" | "5414455" | "5442390" | "5446735" | "5533018" | "5550577" | "5557317" | "5583561" | "5583864" | "5594491" | "5603058").PN.	USPAT	OR	OFF	2002/12/09 17:21
S19	4595	Rao.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/12/09 17:37
S20	3	"Rao.in.and" "725"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/12/09 17:38
S21	95	725/95,96.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/12/09 17:39
S22	67	725/95,96.ccls. and (@ad<="19991210" or @rlad<="19991210")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/12/09 17:42
S23	51	725/95,96.ccls. and (@ad<="19991210" or @rlad<="19991210")and (mux or multiplex$3 or combin$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/12/09 17:59
S24	26	(((addition$5 or supplementa$3 or subsidiary or ancillary or control or auxiliary or associate$1 or program) near2 (design or information or data or content))with (video or TV or CATV or television or image or content)) and (725/95,96.ccls. and (@ad<="19991210" or @rlad<="19991210")and (mux or multiplex$3 or combin$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/22 18:08
S25	634	725/48,54,98,116,118,146-148.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/12/09 17:58
S26	326	725/48,54,98,116,118,146-148.ccls. and (((addition$5 or supplementa$3 or subsidiary or ancillary or control or auxiliary or associate$1 or program) near2 (design or information or data or content))with (video or TV or CATV or television or image or content))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/12/09 17:59

S27	242	(725/48,54,98,116,118,146-148.ccls. and (((addition$5 or supplementa$3 or subsidiary or ancillary or control or auxiliary or associate$1 or program) near2 (design or information or data or content))with (video or TV or CATV or television or image or content))) and (@ad<="19991210" or @rlad<="19991210")and (mux or multiplex$3 or combin$5)	US-PGPUB; JPO; EPO; DERWENT; IBM_TDB	OR	OFF	2002/12/09 18:01
S28	135	(725/48,54,98,116,118,146-148.ccls. and (((addition$5 or supplementa$3 or subsidiary or ancillary or control or auxiliary or associate$1 or program) near2 (design or information or data or content))with (video or TV or CATV or television or image or content))) and (@ad<="19991210" or @rlad<="19991210")and ((mux or multiplex$3 or combin$5)same (server or head$1end or 'head end' or 'CO' or (central near2 office) or provider))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/12/09 19:00
S29	665	709/217,219.ccls. and (@ad<="19991210" or @rlad<="19991210")and ((mux or multiplex$3 or combin$5)same (server or head$1end or 'head end' or 'CO' or (central near2 office) or provider))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/12/09 19:24
S30	236	(709/217,219.ccls. and (@ad<="19991210" or @rlad<="19991210")and ((mux or multiplex$3 or combin$5)same (server or head$1end or 'head end' or 'CO' or (central near2 office) or provider))) and (((addition$5 or supplementa$3 or subsidiary or ancillary or control or auxiliary or associate$1 or program) near2 (design or information or data or content))with (video or TV or CATV or television or image or content))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/12/09 19:23
S31	24	709/217,219.ccls. and (@ad<="19991210" or @rlad<="19991210")and ((mux or multiplex$3 or combin$5)same (server or head$1end or 'head end' or 'CO' or (central near2 office) or provider))same (((addition$5 or supplementa$3 or subsidiary or ancillary or control or auxiliary or associate$1 or program) near2 (design or information or data or content))with (video or TV or CATV or television or image or content))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/12/10 13:39
S32	2	"5579527".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/12/10 13:39
S33	310627	((IP or protocol or command or control) with (convert$3 or transform$3 or MPEG $2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/12/11 10:00

S34	7397	(((IP or protocol or command or control) with (convert$3 or transform$3 or MPEG $2)) same (multiplex$3 or combin$3 or modulat$3 or encod$3) same (program or stream or video or TV or television)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/12/11 10:02
S35	1535	((addition$5 or supplementa$3 or subsidiary or ancillary or control or auxiliary or associate$1 or program) near2 (design or information or data or content)) same (((IP or protocol or command or control) with (convert$3 or transform$3 or MPEG$2)) same (multiplex$3 or combin$3 or modulat$3 or encod$3) same (program or stream or video or TV or television))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/12/11 10:05
S36	243	(((addition$5 or supplementa$3 or subsidiary or ancillary or control or auxiliary or associate$1 or program) near2 (design or information or data or content)) same (((IP or protocol or command or control) with (convert$3 or transform$3 or MPEG$2)) same (multiplex$3 or combin$3 or modulat$3 or encod$3) same (program or stream or video or TV or television))) and ("725"/$ or "709"/$).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/29 15:31
S37	167	((((addition$5 or supplementa$3 or subsidiary or ancillary or control or auxiliary or associate$1 or program) near2 (design or information or data or content)) same (((IP or protocol or command or control) with (convert$3 or transform$3 or MPEG$2)) same (multiplex$3 or combin$3 or modulat$3 or encod$3) same (program or stream or video or TV or television))) and ("725"/$ or "709"/$).ccls.) and (@ad<="19991210" or @rlad<="19991210") and (server or head$1end or 'head end' or 'CO' or (central near2 office) or provider)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/12/11 12:48
S38	10	(IP or 'internet protocol') with (ASI or 'asynchronous serial interface')	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/12/11 12:53
S39	8	((IP or 'internet protocol') with (ASI or 'asynchronous serial interface')) and (@ad<="19991210" or @rlad<="19991210")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/12/11 13:03
S40	16	(IP or 'internet protocol') same (ASI or 'asynchronous serial interface')	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/12/11 12:53

S41	8	(((IP or 'internet protocol') same (ASI or 'asynchronous serial interface')) not ((((IP or 'internet protocol') with (ASI or 'asynchronous serial interface')) and (@ad<="19991210" or @rlad<="19991210")))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/12/11 12:54
S42	2	((((IP or 'internet protocol') same (ASI or 'asynchronous serial interface')) not ((((IP or 'internet protocol') with (ASI or 'asynchronous serial interface')) and (@ad<="19991210" or @rlad<="19991210")))) and (@ad<="19991210" or @rlad<="19991210")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/12/11 14:15
S43	10	((IP or 'internet protocol') same (ASI or 'asynchronous serial interface')) and (@ad<="19991210" or @rlad<="19991210")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/12/11 14:26
S44	6	(statistical near2 multiplex$3) same (availability near2 bandwidth)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/12/11 14:25
S45	3	((statistical near2 multiplex$3) same (availability near2 bandwidth)) and (@ad<="19991210" or @rlad<="19991210")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/12/11 14:15
S46	424	(statistical near2 multiplex$3) same (bandwidth)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/12/11 14:25
S47	269	(statistical near2 multiplex$3) with (bandwidth)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/12/11 14:25
S48	38	((statistical near2 multiplex$3) with (bandwidth)) and ("725"/$.ccls. or "709"/$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/12/11 14:26
S49	24	(((statistical near2 multiplex$3) with (bandwidth)) and ("725"/$.ccls. or "709"/$.ccls.)) and (@ad<="19991210" or @rlad<="19991210")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/12/11 17:37
S50	10974	(((addition$5 or supplementa$3 or subsidiary or ancillary or control or auxiliary or associate$1 or program) near2 (design or information or data or content))or IP)same (priorit$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/12/11 17:52

S51	554	((((addition$5 or supplementa$3 or subsidiary or ancillary or control or auxiliary or associate$1 or program) near2 (design or information or data or content) or IP) with (priorit$4)) same (mux or multiplex$3 or combin$3 or insert$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/12/11 17:56
S52	326	((((addition$5 or supplementa$3 or subsidiary or ancillary or control or auxiliary or associate$1 or program) near2 (design or information or data or content) or IP) with (priorit$4)) with (mux or multiplex$3 or combin$3 or insert$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/12/11 17:57
S53	74120	insert$3 with prior$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/12/11 17:57
S54	19389	("725"/$ or "709"/$).ccls. and (@ad<="19991210" or @rlad<="19991210")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/12/11 17:58
S55	28	(((((addition$5 or supplementa$3 or subsidiary or ancillary or control or auxiliary or associate$1 or program) near2 (design or information or data or content) or IP) with (priorit$4)) with (mux or multiplex$3 or combin$3 or insert$3)) and (("725"/$ or "709"/$). ccls. and (@ad<="19991210" or @rlad<="19991210"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/12/11 18:09
S56	460	(insert$3 with prior$6) and (("725"/$ or "709"/$).ccls. and (@ad<="19991210" or @rlad<="19991210"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/12/11 17:59
S57	1	('high speed' near3 ASI) or (HS$1ASI)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/29 14:25
S58	0	('high speed' near3 ASI) or (HS$1ASI) and 'in band'	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/29 14:29
S59	8672	('high speed' near3 ASI) or (HS$1ASI) or 'in band' or in$1band	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/29 14:32
S60	216	('in band' or in$1band) same (multiplex $3 or mux or switch$3 or combin$4 or mix$3) same (stream$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/29 14:35

S61	130	('in band' or in$1band)same (multiplex $3 or mux or switch$3 or combin$4 or mix$3) same (content or program)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/29 14:49
S62	2	"6300659".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/29 14:38
S63	6	("5225902" | "5544161" | "5740075" | "5818438" | "5850218" | "6055315"). PN.	USPAT	OR	OFF	2003/05/29 14:51
S64	0	"6240553".URPN.	USPAT	OR	OFF	2003/05/29 14:58
S65	94	(('in band' or in$1band)same (multiplex $3 or mux or switch$3 or combin$4 or mix$3) same (content or program)) and (@ad<="19991210" or @rlad<="19991210")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/29 15:25
S66	2352	ASI	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/29 15:30
S67	15	ASI same (high adj speed)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/29 15:26
S68	9	(ASI same (high adj speed)) and (@ad<="19991210" or @rlad<="19991210")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/29 15:53
S69	490	((addition$5 or supplementa$3 or subsidiary or ancillary or control or auxiliary or associate$1 or program) near2 (design or information or data or content))and ASI	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/29 15:46
S70	23	((addition$5 or supplementa$3 or subsidiary or ancillary or control or auxiliary or associate$1 or program) near2 (design or information or data or content))and ASI and "725"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/29 15:48
S71	14	((addition$5 or supplementa$3 or subsidiary or ancillary or control or auxiliary or associate$1 or program) near2 (design or information or data or content))and ASI and (725/87-104).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/29 15:53
S72	13	(((addition$5 or supplementa$3 or subsidiary or ancillary or control or auxiliary or associate$1 or program) near2 (design or information or data or content))and ASI and "725"/$.ccls.) and (@ad<="19991210" or @rlad<="19991210")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/29 15:53

S73	7	(((addition$5 or supplementa$3 or subsidiary or ancillary or control or auxiliary or associate$1 or program) near2 (design or information or data or content)) and ASI and (725/87-104). ccls.) and (@ad<="19991210" or @rlad="19991210"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/29 16:00
S74	6	((((addition$5 or supplementa$3 or subsidiary or ancillary or control or auxiliary or associate$1 or program) near2 (design or information or data or content)) and ASI and "725/$.ccls.) and (@ad<="19991210" or @rlad<="19991210")) not ((((addition$5 or supplementa$3 or subsidiary or ancillary or control or auxiliary or associate$1 or program) near2 (design or information or data or content)) and ASI and (725/87-104).ccls.) and (@ad<="19991210" or @rlad<="19991210"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/30 09:05
S75	0	"6154772".pn. and IP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/30 09:06
S76	20808	"6154772".pn. and IP or 'internet protocol'	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/30 09:06
S77	0	"6154772".pn. and (IP or 'internet protocol')	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/30 09:06
S78	604	370/537.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/13 18:05
S79	531	370/537.ccls. and multiplex$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/13 18:05
S80	31	370/537.ccls. and (statistical$3 with multiplex$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/13 18:53
S81	28	(370/537.ccls. and (statistical$3 with multiplex$4)) and (@ad<="19991210" or @rlad<="19991210")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/13 18:54
S82	23	370/537.ccls. and (((spare or waste$1 or available) near2 bandwidth) same multiplex$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/13 18:54

S83	19	(370/537.ccls. and (((spare or waste$1 or available) near2 bandwidth) same multiplex$4)) and (@ad<="19991210" or @rlad<="19991210")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/13 19:01
S84	2	"5506844".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/13 19:01
S85	32	(IP near2 format$4) with MPEG	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/26 22:56
S86	3935	(mux or multiplexer) with (format$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/26 22:56
S87	2000	((mux or multiplexer) with (format$5) with (data or application))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/26 22:59
S88	1671	(((mux or multiplexer) with (format$5) with (data or application))) and (@ad="19991210" or @rlad="19991210")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/26 22:58
S89	1187	(((mux or multiplexer) with (format$5) with (data or application))) and (@ad="19991210" or @rlad="19991210")and (guide or application)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/26 22:59
S90	383	((((mux or multiplexer) with (format$5) with (data or application))) and (@ad="19991210" or @rlad="19991210")and (guide or application)) and ("370"/$.ccls. or "725"/$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/26 22:58
S91	6	((mux or multiplexer) with statistical$3 with (format$5) with (data or application))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/26 23:03
S92	11	((mux or multiplexer) with statistical$3 with format$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/26 22:59
S93	8	(((mux or multiplexer) with statistical$3 with format$5)) and (@ad="19991210" or @rlad="19991210")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/26 22:59

S94	1369	(((mux or multiplexer) near10 format$5) with (data or application))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/26 23:03
S95	342	(((mux or multiplexer) near10 format$5) with (data or application) with (convert $3 or transform$3 or reformat$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/26 23:04
S96	288	((((mux or multiplexer) near10 format $5) with (data or application) with (convert$3 or transform$3 or reformat $3))) and (@ad<="19991210" or @rlad<="19991210")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/26 23:07
S97	144	((((mux or multiplexer) near10 format $5) with (data or application) with (convert$3 or transform$3 or reformat $3))) and (@ad<="19991210" or @rlad<="19991210") and video	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/26 23:07
S98	84	((((mux or multiplexer) near10 format $5) with (data or application) with (convert$3 or transform$3 or reformat $3))) and (@ad<="19991210" or @rlad<="19991210") and video and encod$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/26 23:07
S99	23	((((mux or multiplexer) near10 format $5) with (data or application) with (convert$3 or transform$3 or reformat $3))) and (@ad<="19991210" or @rlad<="19991210") and video and encod$3 and ("725"/$.ccls. or "370"/$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/26 23:08
S100	3	"6601103".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/28 20:35
S101	2	"6044396".pn. and (@ad<="19991210" or @rlad<="19991210")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/20 18:55
S102	89814	((mux or multiplex$3 or combin$5) near10 (format$4 or convert$3)) and (@ad<="19991210" or @rlad<="19991210")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/20 18:56
S103	7274	((mux or multiplex$3) near10 format$5) and (@ad<="19991210" or @rlad<="19991210")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/20 18:57
S104	4373	((mux or multiplex$3) near10 format$5) same (data or EPG or guide) and (@ad<="19991210" or @rlad<="19991210")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/20 18:57

S105	2990	((mux or multiplex$3) near5 format$5) same (data or EPG or guide) and (@ad<="19991210" or @rlad<="19991210")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/20 18:57
S106	529	((mux or multiplex$3) near5 format$5) same (data or EPG or guide)same (video or television or TV) and (@ad<="19991210" or @rlad<="19991210")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/20 18:58
S107	61	(((mux or multiplex$3) near5 format$5) same (data or EPG or guide)same (video or television or TV) and (@ad<="19991210" or @rlad<="19991210")) and "725"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/20 19:33
S108	85	(((mux or multiplex$3) near5 format$5) same (data or EPG or guide)same (video or television or TV) and (@ad<="19991210" or @rlad<="19991210")) and "370"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/20 19:48
S109	3	Sezan.in. and (key near2 frame)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/20 19:48
S110	5579	((mux or multiplex$3 or combin$5) with rate$1 with (format$4 or convert$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/22 18:09
S111	2817	((mux or multiplex$3 or combin$5) near10 rate$1 near10 (format$4 or convert$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/22 18:11
S112	2111	(((mux or multiplex$3 or combin$5) near10 rate$1 near10 (format$4 or convert$3))) and (@ad<="19991210" or @rlad<="19991210")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/22 18:12
S113	471	((((mux or multiplex$3 or combin$5) near10 rate$1 near10 (format$4 or convert$3))) and (@ad<="19991210" or @rlad<="19991210")) and ("725"/$.ccls. or "709"/$.ccls. or "370"/$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/22 18:10
S114	169	((((mux or multiplex$3 or combin$5) near10 rate$1 near10 (format$4 or convert$3))) and (@ad<="19991210" or @rlad<="19991210")) and ("725"/$.ccls. or "709"/$.ccls. or "370"/$.ccls.) and (video or television or TV)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/22 18:12
S115	322	((mux or multiplex$3 or combin$5) near10 rate$1 near10 (format$4 or convert$3)) same (video or television or TV or audio)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/22 18:11

S116	253	((mux or multiplex$3 or combin$5) near10 rate$1 near10 (format$4 or convert$3)) same (video or television or TV)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/22 18:19
S117	218	(((mux or multiplex$3 or combin$5) near10 rate$1 near10 (format$4 or convert$3)) same (video or television or TV)) and (@ad<="19991210" or @rlad<="19991210")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/22 18:41
S118	43	((((mux or multiplex$3 or combin$5) near10 rate$1 near10 (format$4 or convert$3)) same (video or television or TV)) and (@ad<="19991210" or @rlad<="19991210")) and ("725"/$. ccls. or "709"/$.ccls. or "370"/$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/22 18:36
S119	4	((mux or multiplex$3 or combin$5) near2 statistic$4 near10 rate$1 near10 (format $4 or convert$3)) same (video or television or TV)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/22 18:20
S120	5	((mux or multiplex$3 or combin$5) near10 statistic$4 near10 rate$1 near10 (format$4 or convert$3)) same (video or television or TV)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/22 18:20
S121	4	(((mux or multiplex$3 or combin$5) near10 statistic$4 near10 rate$1 near10 (format$4 or convert$3)) same (video or television or TV)) and (@ad<="19991210" or @rlad<="19991210")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/22 18:21
S122	7	Arazi.in. and multiplex	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/22 18:40
S123	23	("4755993" | "5168353" | "5267334" | "5305113" | "5315584" | "5319707" | "5359601" | "5386213" | "5400401" | "5418782" | "5420640" | "5420866" | "5448568" | "5452006" | "5461619" | "5493339" | "5506904" | "5519780" | "5583562" | "5612742" | "5650825" | "5757416" | "5793410").PN.	USPAT	OR	OFF	2004/08/22 18:37
S124	9	"5966120".URPN.	USPAT	OR	OFF	2004/08/22 18:40
S125	17	((("4755993" | "5168353" | "5267334" | "5305113" | "5315584" | "5319707" | "5359601" | "5386213" | "5400401" | "5418782" | "5420640" | "5420866" | "5448568" | "5452006" | "5461619" | "5493339" | "5506904" | "5519780" | "5583562" | "5612742" | "5650825" | "5757416" | "5793410").PN.) or "5966120".URPN.) and ((multiplex$5 or mux or combin$3) with (format$4 or convert$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/22 18:41

S126	17	(((("4755993" | "5168353" | "5267334" | "5305113" | "5315584" | "5319707" | "5359601" | "5386213" | "5400401" | "5418782" | "5420640" | "5420866" | "5448568" | "5452006" | "5461619" | "5493339" | "5506904" | "5519780" | "5583562" | "5612742" | "5650825" | "5757416" | "5793410").PN.) or "5966120".URPN.) and ((multiplex$5 or mux or combin$3) with (format$4 or convert$4))) and (@ad<="19991210" or @rlad<="19991210")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/22 19:31
S127	20649	('same' near2 format$4) and (@ad<="19991210" or @rlad<="19991210")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/22 19:32
S128	290	(('same' near2 format$4)near3 (convert $3)) and (@ad<="19991210" or @rlad<="19991210")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/22 19:32
S129	20	(('same' near2 format$4)near3 (convert $3))same (multiplex$4 or mux or combin $3 or insert$3) and (@ad<="19991210" or @rlad<="19991210")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/22 19:48
S130	3	picco.in. and 'local content' and (@ad<="19991210" or @rlad<="19991210")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/22 19:49
S131	0	Chaney.in. and EPG and (@ad<="19991210" or @rlad<="19991210")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/22 19:49
S132	1777	Chaney.in. MPG and (@ad<="19991210" or @rlad<="19991210")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/22 19:49
S133	4	Chaney.in. and MPG and (@ad<="19991210" or @rlad<="19991210")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/22 19:57
S134	2	Terasawa.in. and EPG1 and (@ad<="19991210" or @rlad<="19991210")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/22 20:03
S135	141	Gordon.in. and (multiplex$3 same rate $1) and (@ad<="19991210" or @rlad<="19991210")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/22 20:03

S136	4	Gordon.in. and (multiplex$3 same rate $1 same bps) and (@ad<="19991210" or @rlad<="19991210")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/22 20:04
S137	3	Gordon.in. and (multiplex$3 same rate $1 same guide) and (@ad<="19991210" or @rlad<="19991210")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/22 20:04
S138	10	("6404776" "6181711" "5966120" "4605961" "6029045").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 17:22
S139	79763	((mux or multiplex$3) same (format$4 or convert$3 or transform$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 17:23
S140	6576	((mux or multiplex$3) with (format$4 or convert$3 or transform$3)) same (video or movie or content)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 18:12
S141	2346	S140 and ("725"/$.ccls. or "370"/$.ccls. or "348"/$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 17:25
S142	357	((mux or multiplex$3) with (format$4 or convert$3 or transform$3)) same (video or movie or content) same (digital or segment$1) same (buffer$3 or cach$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 17:25
S143	148	S142 and ("725"/$.ccls. or "370"/$.ccls. or "348"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 18:13
S144	118	S143 and (@ad<="19991210" or @rlad<="19991210")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 18:13
S145	2363	((mux or multiplex$3) with (convert$3 or transform$3) with format$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 18:20
S146	1796	S145 and (@ad<="19991210" or @rlad<="19991210")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 18:15
S147	688	S146 and ("725"/$.ccls. or "370"/$.ccls. or "348"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 18:40

S148	360	S146 and ("725"/$.ccls. or "370"/$.ccls. or "348"/$.ccls.) and (stream$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 18:14
S149	71	S145 and (@ad<="19991210" or @rlad<="19991210") and 370/533-537. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 18:20
S150	2693	((mux or multiplex$3) with (conver$5 or transform$3) with format$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 18:41
S151	76	S150 and (@ad<="19991210" or @rlad<="19991210") and 370/533-537. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 18:39
S152	799	S150 and (@ad<="19991210" or @rlad<="19991210") and (video or movie$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 18:42
S153	708	S150 and (@ad<="19991210" or @rlad<="19991210") and (video or movie$1) and digital	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 18:39
S154	64017	"19" and ("725"/$.ccls. or "370"/$.ccls. or "348"/$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 18:40
S155	88667	"16" and ("725"/$.ccls. or "370"/$.ccls. or "348"/$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 18:40
S156	373	S153 and ("725"/$.ccls. or "370"/$.ccls. or "348"/$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 18:40
S157	513	((mux or multiplex$3) with (conver$5 or transform$3) with format$4) same (video or movie)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 18:42
S158	334	S157 and (@ad<="19991210" or @rlad<="19991210")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 18:43
S159	153	((mux or multiplex$3) with (conver$5 or transform$3) with format$4) same (video or movie)same (buffer$3 or stor $3 or cache$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 18:42

S160	112	S159 and (@ad<="19991210" or @rlad<="19991210")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 19:04
S161	445	(convert$3 near5 format$4) with MPEG $2 and (@ad<="19991210" or @rlad<="19991210")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 19:05
S162	65	(convert$3 near5 format$4) with MPEG $2 same multiplex$3 and (@ad<="19991210" or @rlad<="19991210")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 19:05
S163	2	"6404776".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/18 18:37
S164	394	(mux or multiplex$4) with segment$3 with stream$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/18 20:03
S165	59	((mux or multiplex$4) with segment$3 with stream$4) with (minute$1 or second $1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/18 19:49
S166	30	("5877812").URPN.	USPAT	OR	OFF	2005/02/18 18:45
S167	12	("4455649" | "4477900" | "4494232" | "5115309" | "5144425" | "5216503" | "5241383" | "5291281" | "5361096" | "5506844" | "5550589" | "5566174"). PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/18 18:47
S168	127	(parse$1 same buffer$3 same segment $1)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/18 18:48
S169	79	(parse$1 same buffer$3 same segment $1) and (equal$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/18 18:48
S170	14	(parse$1 same buffer$3 same segment $1) same (equal$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/18 19:32
S171	118	(multiplex$3 with predetermine$3 with number$1 with stream$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/18 19:33
S172	14	(multiplex$3 with predetermine$3 with number$1 with stream$3) same (video or movie or television)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/18 19:44
S173	8	(((multiplex$3 or mux$3) with (number $1 near3 segment$3)) with stream$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/18 19:45
S174	0	Rao.in. and ((mux or multiplex$4) with segment$3 with stream$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/18 19:50

S175	49	Rao.in. and ((mux or multiplex$4) same stream$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/18 19:50
S176	2	Rao.in. and ((mux or multiplex$4) same stream$4 same segment$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/18 19:51
S177	7	Rao.in. and (statistic$3 near2 (mux or multiplex$4)) same stream$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/18 19:54
S178	161	(predetermin$3 near4 segment$1) same multiplex$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/18 19:57
S179	24	(predetermin$3 near4 segment$1) same multiplex$3 same stream$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/18 19:57
S180	14	S179 and (@ad<="19991210" or @rlad<="19991210")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/18 20:12
S181	5111	(mux or multiplex$4) with segment$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/18 20:04
S182	553	((mux or multiplex$4) with segment$3) same stream$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/18 20:04
S183	345	S182 and (@ad<="19991210" or @rlad<="19991210")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/18 20:05
S184	165	((mux or multiplex$4) with segment$3) same stream$3 same (video or movie or program)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/18 20:09
S185	106	S184 and (@ad<="19991210" or @rlad<="19991210")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/18 20:05
S186	4	((mux or multiplex$4) with (predetermined near4 segment$3)) same stream$3 same (video or movie or program)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/18 20:11

S187	59	((mux or multiplex$4) same ((predetermined or predefine$3) near2 (number$1 or amount)) same stream$3 same (video or movie or program)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/18 20:33
S188	39	S187 and (@ad<="19991210" or @rlad<="19991210")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/18 20:35
S189	59	((mux or multiplex$4) same ((predetermined or predefin$3) near2 (number$1 or amount)) same stream$3 same (video or movie or program)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/18 20:34
S190	39	S189 and (@ad<="19991210" or @rlad<="19991210")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/18 20:35
S191	5	("0005890" "0005892" "0966164" "5956088").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/30 17:31
S192	1075	Sony.as. and multiplex$3 with (video with data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/30 17:32
S193	571	Sony.as. and multiplex$3 with (video with data) with audio	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/30 17:32
S194	175	Sony.as. and multiplex$3 with (video with data) with audio	US-PGPUB; EPO; DERWENT	OR	OFF	2005/06/30 17:39
S195	123	Sony.as. and multiplex$3 with (video with data) with audio	EPO; DERWENT	OR	OFF	2005/06/30 17:33
S196	44	Sony.as. and multiplex$3 with (video with data) with audio and EPG	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/30 17:39
S197	30	Sony.as. and multiplex$3 with (video with data) with audio and EPG and encoder	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/30 17:44
S198	114	Sony.as. and (multiplex$3 same (audio near3 encoder$1) same (video near3 encoder))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/30 17:45
S199	10	Sony.as. and (multiplex$3 same (audio near3 encoder$1) same (video near3 encoder)) and guide	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/30 17:45

S200	114	Sony.as. and (multiplex$3 same (audio near3 encoder$1) same (video near3 encoder))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/30 17:46
S201	0	Sony.as. and (multiplex$3 same (audio near3 encoder$1) same (video near3 encoder)) same (avail$5 near4 bandwidth)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/30 17:47
S202	0	Sony.as. and (multiplex$3 same (audio near3 encoder$1) same (video near3 encoder)) and (avail$5 near4 bandwidth)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/30 17:47
S203	1	Sony.as. and ((audio near3 encoder$1) same (video near3 encoder)) and (avail $5 near4 bandwidth)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/30 17:47
S204	5	Sony.as. and ((audio near3 encod$3) same (video near3 encod$3)) and (avail $5 near4 bandwidth)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/30 17:49
S205	616	((audio near3 encod$3) same (video near3 encod$3)) and (avail$5 near4 bandwidth)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/30 17:49
S206	614	((audio near3 encod$3) same (video near3 encod$3)) and (avail$5 near4 bandwidth) and data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/30 17:49
S207	139	((audio near3 encod$3) same (video near3 encod$3)) and (avail$5 near4 bandwidth) and (epg or ipg or (program near2 (guide or schedul$3 or list$4 or menu)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/30 18:54
S208	5	(avail$5 near4 bandwidth) same multiplex$3 same (epg or ipg or (program near2 (guide or schedul$3 or list$4 or menu)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/30 18:55
S209	0	"6404776".pn. and cable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/05 17:25
S210	20	mao.in. and proxy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/28 11:37
S211	23	arazi.in. and multiplex$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/28 11:37

S212	1	arazi.in. and multiplex$3 with availab$5 with bandwidth	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/28 11:39
S213	19	gordon.in. and bandwidth and capability and head$1end	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/28 11:40
S214	371	gordon.in. and bandwidth and capability	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/28 11:40
S215	27	gordon.in. and bandwidth and capability and vod	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/28 11:41
S216	127	gordon.in. and bandwidth and capability and server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/28 11:41
S217	30	gordon.in. and bandwidth and capability and server and "725"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/28 11:45
S218	33	gordon.in. and bandwidth and capability and "725"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/28 11:45
S219	37	gordon.in. and bandwidth and capabilit$3 and "725"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/28 11:51
S220	15	field.in. and html	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/28 12:36
S221	3	bandwith with (availabl$4 utilization) with level$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/28 12:38
S222	72	bandwith with level$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/28 12:37
S223	2	bandwith with level$1 same (insert$3 multiplex$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/28 12:38

S224	1761	bandwidth with (availabl$4 utilization) with level$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/28 12:38
S225	98	bandwidth with (availabl$4 utilization) with level$1 same (insert$4 multiplex$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/28 12:52
S226	3304	bandwidth with (availabl$4 utilization) same (insert$4 multiplex$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/28 12:52
S227	349	bandwidth with (availabl$4 utilization) same (insert$4 multiplex$3) same (threshold level$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/28 12:52
S228	26	(bandwidth with (availabl$4 utilization)) same (insert$4 multiplex$3) same ((under below less) near3 (threshold level$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/28 15:34
S229	1	"6594271".pn. and (digital or Mpeg)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/28 16:58
S230	10	huynh.xa. and decoder and buffer$3 and "725"$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/28 17:00
S231	4633	(sub$1title$1 cc 'closed caption') with (buffer$3 memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/28 17:04
S232	9	guo.in. and page and IPG	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/28 17:03
S233	64	S231 and "725"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/28 17:19
S234	266	(cable near3 modem$1) same (CMTS or (termination near2 system)) same (configur$3 or registration)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/28 17:23
S235	361	(cable near3 modem$1) same (CMTS or (termination near2 system)) same (configur$5 or registration)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/28 17:23

S236	105	(cable near3 modem$1) same (CMTS or (termination near2 system)) same (configur$5 or registration) same protocol	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/28 17:23
S237	70	(cable near3 modem$1) same (CMTS or (termination near2 system)) same (configur$5 or registration) same protocol and docsis	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/28 17:23
S238	3	Eldering.in. and auction$3 and bandwidth	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/01 19:04
S239	59	(future near3 (availab$5 waste spare) near3 bandwidth)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/02 11:12
S240	1	(future near3 (availab$5 waste spare) near3 bandwidth) same multiplex$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/01 19:05
S241	2	"20050262042".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/02 11:13
S242	2	"20050262542".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/02 11:13
S243	297	(real$1time or (real near2 time)) same (non$1real$1time) same (combin$4 multiplex$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 11:39
S244	514	(real$1time or (real near2 time)) same (non$1real$1time) same (combin$4 multiplex$3 insert$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 11:39
S245	279	(real$1time or (real near2 time)) same (non$1real$1time) same (combin$4 multiplex$3 insert$3) and (transport)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 11:40
S246	17	(real$1time or (real near2 time)) same (non$1real$1time) same (combin$4 multiplex$3 insert$3) and (transport near3 process$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 11:40
S247	5	S246 and (@ad<="19991210" or @rlad<="19991210")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 11:44

S248	177	S245 and (@ad<="19991210" or @rlad<="19991210")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 11:45
S249	120	S245 and (@ad<="19991210" or @rlad<="19991210") and ((up$1stream reverse$3 return) near2 (path link channel data signal))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 13:26
S250	184	("5805804").URPN.	USPAT	OR	ON	2006/11/08 12:05
S251	2548	Rao.in.	USPAT	OR	ON	2006/11/08 12:05
S252	14	Rao.in. and pedestal	USPAT	OR	ON	2006/11/08 12:08
S253	238	(multiplex$3 same (transport near3 processor$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/11/08 12:17
S254	33	S253 and (@ad<="19991210" or @rlad<="19991210") and ((up$1stream reverse$3 return) near2 (path link channel data signal))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 13:13
S255	1544	((multiplex$3 re$1multiplex$3 combine $1) same (transport near3 process$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/11/08 12:17
S256	126	S255 and (@ad<="19991210" or @rlad<="19991210") and ((up$1stream reverse$3 return) near2 (path link channel data signal))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 12:19
S257	97	S255 and (@ad<="19991210" or @rlad<="19991210") and ((up$1stream reverse$3 return) near2 (path link channel data signal)) and (television video)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 12:19
S258	137	S253 and (@ad<="19991210" or @rlad<="19991210")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 13:14
S259	108	S258 not S257	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 13:25
S260	168	725/64-67.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 13:25
S261	16	725/64-67.ccls. and (transport with process$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 13:26

S262	7	S261 and (@ad<="19991210" or @rlad<="19991210")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 13:59
S263	118	S260 and (@ad<="19991210" or @rlad<="19991210")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 13:44
S264	78	(transponder with ((return upstream revers$3) near3 (channel path link))) and (@ad<="19991210" or @rlad<="19991210")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 13:46
S265	1258	(transport with ((return upstream revers $3) near3 (channel path link))) and (@ad<="19991210" or @rlad<="19991210")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 13:46
S266	103	((transport with process$3) with ((return upstream revers$3) near3 (channel path link))) and (@ad<="19991210" or @rlad<="19991210")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 13:50
S267	455	((satellite) with ((return upstream revers $3) near3 (channel path link))) and (@ad<="19991210" or @rlad<="19991210")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 13:51
S268	39	(multiplex$4 combin$4) same ((satellite) with ((return upstream revers$3) near3 (channel path link))) and (@ad<="19991210" or @rlad<="19991210")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 13:57
S269	30	yurt.in. and satellite	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 13:58
S270	1741	card near3 transceiver	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 13:58
S271	101	card near3 transceiver same satellite	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 14:01
S272	86	S271 and (@ad<="19991210" or @rlad<="19991210")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 14:01
S273	107	(transceiver same satellite) same (upstream revers$3 return) near3 (signal channel data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 14:01

S274	28	S273 and (@ad<="19991210" or @rlad<="19991210")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 14:11
S275	113	(transport with processor) with (return or revers$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 14:11
S276	76	S275 and (@ad<="19991210" or @rlad<="19991210")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 14:11
S277	6	("5225902" | "5544161" | "5740075" | "5818438" | "5850218" | "6055315"). PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/08 16:47
S278	8986	(transport same ((two$1way bi $1direction$3) or ((reverse$1 upstream $1 return) near3 (channel signal path))))	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/08 16:48
S279	2081	(transport same ((two$1way bi $1direction$3) or ((reverse$1 upstream $1 return) near3 (channel signal path)))) same (multiplex$4 switch$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/11/08 16:49
S280	851	(transport with ((two$1way bi$1direction $3) or ((reverse$1 upstream$1 return) near3 (channel signal path)))) same (multiplex$4 switch$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/11/08 16:51
S281	427	S280 and (@ad<="19991210" or @rlad<="19991210")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 16:49
S282	169	S280 and (@ad<="19991210" or @rlad<="19991210") and (video television movie)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 16:51
S283	109	((transport with (stream process$3)) with ((two$1way bi$1direction$3) or ((reverse$1 upstream$1 return) near3 (channel signal path)))) same (multiplex $4 switch$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/11/08 16:51
S284	30	S283 and (@ad<="19991210" or @rlad<="19991210") and (video television movie)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 17:33
S285	2	"6229788".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 17:31

S286	2233	(transport near2 (process$4 or tream)) same (multiplex$3 switch$3 combin$3 insert$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 17:31
S287	26	(transport near2 (process$4 or tream)) same (multiplex$3 switch$3 combin$3 insert$3) same (two$1way bi $1directional ((revers$3 return upstream) near3 (channel data link path)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 17:34
S288	2	S287 and (@ad<="19991210" or @rlad<="19991210") and (video television movie)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 17:34
S289	556	(transport near2 (process$4 or tream)) same (multiplex$3 switch$3 combin$3 insert$3) and (two$1way bi$1directional ((revers$3 return upstream) near3 (channel data link path)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 17:34
S290	150	S289 and (@ad<="19991210" or @rlad<="19991210") and (video television movie)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 18:20
S291	2	huynh.xa. and son.xa. and wavelength	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 18:21
S292	1	huynh.xa. and son.xa. and wavelength and transport	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/09 10:47
S293	14868	multiplex$3 same transport$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/04 19:37
S294	1965	multiplex$3 same transport$6 same (convert$3 reforma$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/04 19:37
S295	264	multiplex$3 same transport$6 same (convert$3 reforma$4) and statistical$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/04 19:37
S296	17	multiplex$3 same transport$6 same (convert$3 reforma$4) and statistical$5 same (availabl$5 unused) with bandwidth	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/04 19:38

S297	119	multiplex$3 same transport$6 same (convert$3 reforma$4) and statistical$5 and (availabl$5 unused) with bandwidth	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/04 19:38
S298	76	S297 and (@ad<="19991210" or @rlad<="19991210")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/04 19:44
S299	6	S296 and (@ad<="19991210" or @rlad<="19991210")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/04 19:38
S300	70	(predict$4 estimat$3 calculat$4 forcast $3) with (future later) with bandwidth with availab$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/06 15:51
S301	9	S300 and (@ad<="19991210" or @rlad<="19991210" or @prad<="19991210")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/06 15:52
S302	700	(future later) with bandwidth with (avail availab$4 unused)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/06 16:10
S303	73	(future later) with bandwidth with (avail availab$4 unused) same (multiplex$3 insert$4 embed$3 add$3 slic$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/06 16:11
S304	11	S303 and (@ad<="19991210" or @rlad<="19991210" or @prad<="19991210")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/06 16:11
S305	406	(future later) with bandwidth with (avail availab$4 unused)	US-PGPUB	OR	ON	2009/03/06 16:15
S306	25	((future later) with bandwidth with (avail availab$4 unused)).clm.	US-PGPUB	OR	ON	2009/03/06 16:16
S307	7	((future later) with bandwidth with (avail availab$4 unused) and (multiplex $3 insert$3 combin$3 add$3)).clm.	US-PGPUB	OR	ON	2009/03/06 16:18
S308	0	Diva.as. and (future near3 bandwidth)	US-PGPUB	OR	ON	2009/03/06 16:21
S309	0	son.in. and (future near3 bandwidth)	US-PGPUB	OR	ON	2009/03/06 16:21
S310	17	son.in. and ((predict$4 estimat$4) near3 bandwidth)	US-PGPUB	OR	ON	2009/03/06 16:22
S311	0	son.in. and ((predict$4 estimat$4) near3 ((avail or availab$6 unused) near4 bandwidth))	US-PGPUB	OR	ON	2009/03/06 16:23

S312	0	diva.as. and ((predict$4 estimat$4) near3 ((avail or availab$6 unused) near4 bandwidth))	US-PGPUB	OR	ON	2009/03/06 16:23
S313	0	goode.in. and ((predict$4 estimat$4) near3 (avail or availab$6 unused) near4 bandwidth))	US-PGPUB	OR	ON	2009/03/06 16:23
S314	0	goode.in. and ((predict$4 estimat$4) with ((avail or availab$6 unused) near4 bandwidth))	US-PGPUB	OR	ON	2009/03/06 16:23
S315	0	"6526577".pn.	US-PGPUB	OR	ON	2009/03/09 12:21
S316	1	"6526577".pn.	US-PGPUB; USPAT	OR	ON	2009/03/09 12:21
S317	0	"6782553".pn.	US-PGPUB	OR	ON	2009/03/10 18:33
S318	1	"6782553".pn.	US-PGPUB; USPAT	OR	ON	2009/03/10 18:34
S319	13	("5448568" | "5515106" | "5559808" | "5666645" | "5844595" | "5886995" | "6233255" | "6271893" | "6347098" | "6351471" | "6351474" | "6385212" | "6414720").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/03/10 18:34

3/11/09 2:45:27 PM
C:\ Documents and Settings\ ahuynh1\ My Documents\ EAST\ workspaces\ 09458322.wsp